


MACHINE DESIGN

INDEX TO VOLUME 13, JAN. TO DEC. 1941



THE PROFESSIONAL JOURNAL OF CHIEF ENGINEERS AND DESIGNERS

PUBLISHED BY PENTON PUBLISHING CO., PENTON BLDG., CLEVELAND

Index to Contents

January to December, 1941

A

Alloys:

See *Materials (Metallic)*

Appearance:

See *Styling*

Authors:

- Almen, J. O.—"Temper Theory with Experience," Dec. p.72
 Andrich, L. S.—"Co-acting Drive—Electric, Hydraulic, Mechanical," April p.28-S
 Anderson, G. R.—"Short Time Rated Motors" (series), July p.64
 Benninghoff, W. E. and H. B. Osborn Jr.—"Induction Hardening Process Steps Up Production," June p.58
 Blair, J. I.—"Idle Effects Simple Clutch" (symposium), April p.68-S
 Carlson, Lewis B.—"Compact Spindle Design Aids High-Speed Operation," Sept. p.56
 Clower, James I.—"Centralized Lubricators Offer Many Combinations," Jan. p.47
 Curtis, Myron S.—"Shell Lathe Design Unfettered by Standard Practice," March p.29
 Dawe, C. N.—"How Vanadium Influences Design Materials," Oct. p.50
 Delmonte, J.—"Plastics Conserve Metals for Defense," May p.31
 Dickey, R. C.—"Product Sizes Require Speed Control" (symposium), April p.72-S
 Drake, C. W.—"Mountings and Enclosures" (series), Jan. p.33
 Edmunds, H. M.—"Adjustable Speed Motors" (series), Aug. p.71
 Elbert, R. S.—"Designing Control Circuits," Part I—"Control Diagrams, Construction and Use," March p.47; Part II—"Control Criterion—A Check on Design," April p.43-S; Part III—"Restraint of Contracts," May p.52
 Fortenbach, J. H.—"Multispeed Induction Motors," April p.38-S
 Fromm, W. H.—"Lightweight D.C. Motors," March p.51
 Gaetjens, A. K.—"How To Design for Adequate Built-in Lighting," March p.40
 Gahl, E. A.—"Use New V-Belt Ratings for Economical Drive," April p.45-S
 Gaines, F. W.—"Air Draft Improves Clutch" (symposium), April p.62-S
 Gordon, Eric C.—"Designing Powdered Metal Machine Parts," April p.42
 Greve, John W.—
 "Aircraft Bearings Increase Reliability," Aug. p.64
 "Plastic Plywood Comes of Age," Dec. p.53
 Griswold, George Z.—"Lower Cost Adds Value to Carbide Inserts," Jan. p.43
 Grodner, A.—"Combatting Problems in Design of Processing Machine," Oct. p.66
 Grosser, Christian E.—
 "Designing Controlled Power Hydraulic Circuits," Nov. p.54
 "Designing for Hydraulic Torque Control," Sept. p.59
 "Designing for Hydraulic Variable Speed," July p.41
 "How To Select Hydraulic Power Equipment," April p.31-S
 Hettelsater, H. C.—"Drive Is Designed for Tough Service" (symposium), April p.36-S
 Hoell, George S.—
 "Avoiding Excessive Deflection in Yoke Design," Sept. p.64
 "Design of Planetary Gear Systems" (data sheets), Aug. p.77
 Hough, W. R.—"Torque and High Slip Motors," May p.38
 Jenny, J. P.—"Provides Two Presses in One" (symposium), April p.35-S
 Jones, J. C.—"Obtaining Flexibility, Accessibility, with Unit Assemblies," July p.57
 Kirkish, J. J. and R. J. Owen—"Frequent Starting and Reversing Motors" (series), June p.62
 Klingeman, W. E.—"Adjustable Cams Give Flexibility" (symposium), April p.35-S
 Leven, Samuel—"Balances Load on Drive" (symposium), April p.70-S
 Marin, Joseph—"Designing Shafting for Static or Fatigue Loads," Aug. p.55
 Martz, L. S.—"Honing Meets Designer's Need for Mass Production Precision," Nov. p.66
 Moody, John L.—"Challenges to Design Result in Progress," May p.43
 Moore, J. R.—"Ingenious Mechanism Typifies Design of Jig Grinder," Sept. p.45
 Moslander, Kenneth D.—
 "Air Is Economical Answer to Control Problems," April p.50-S
 "Deep Drawing May Answer Your Production Problems," Dec. p.64
 "Machine Fastenings in Design"; Part II—"Special Screws and Washers," Jan. p.39; Part III—"Special Screw Heads and Fastening Systems," Feb. p.60
 "Restrictions Challenge Ingenuity of Machine Designers," Aug. p.61
 "Stopping Motion for Design Data," June p.51
 "Use Stampings To Conserve Strategic Materials," Nov. p.43
 Myers, Stuart J.—"Automatic Press Meets Current Conditions," June p.45
 Orton, R. E.—"Applying Theory of Elasticity in Practical Design"; Part I—"Location and Change in Position of a Strained Point," Feb. p.42; Part II—"Stress in Beams," March p.36; Part III—"Application of Saint-Venant's Principles to Stresses in Beams," April p.36; Part IV—"Cylindrical Forces Shrink Flts, etc.," May p.55; Part V—"Curved Beams," June p.72; Part VI—"Concentrated Loads," July p.59; Part VII—"Loads on Rollers and Wedges," Aug. p.67; Part VIII—"Contact Loading on Balls and Rollers," Sept. p.52; Part IX—"Contact Loading," Oct. p.61; Part X—"Rotating Disks," Nov. p.68; Part XI—"Theories of Failure," Dec. p.58
 Osborn Jr., H. B. and W. E. Benninghoff—"Induction Hardening Process Steps Up Production," June p.58
 Owen, R. J. and J. J. Kirkish—"Frequent Starting and Reversing Motors" (series), June p.62
 Patton, Walter G.—"Moly Steels Combine High Physicals, Workability," Jan. p.50
 Pentecost, H. T.—"Specifying Design Department Material": Part I—"Supplies," April p.31; Part II—"Drawing Boards and Tables," May p.47; Part III—"Special Equipment," June p.55; Part IV—"Reproduction Equipment," July p.54
 Poste, Emerson P.—"When To Utilize Porcelain Enamel": Part I—"Fundamental Properties," Oct. p.56; Part II—"Sheet Metal Parts," Nov. p.62; Part III—"Cast Iron Parts," Dec. p.77
 Rall, C. A.—"Small Reversing Motors" (series), Feb. p.53
 Rossmann, Peter F.—"Designing Snap Ring Fastenings," May p.49
 Scott, R. M.—"Constant Tension Features Drive" (symposium), April p.74-S
 Seelig, Richard P.—"Designing Powdered Metal Machine Parts," April p.42
 Seemann, A. K.—"Welding Is Adaptable to Design Changes" (an abstract), Nov. p.59

*Denotes short articles or announcements of less than one page.

- Shields, W. D.—"Short Length Back-up Rolls Improve Sheet Leveler," Jan. p.45
- Shuffstall, J. A.—"Cast Steel Takes the Load!" March p.55
- Staak, J. H.—"Small Built-in Motors," Sept. p.69
- Styri, Haakon—"Factors Influencing Antifriction Bearings," Feb. p.67
- Talbourdet, Guy J.—Part I—"Analysis of Single 4-bar Linkage," May p.67; Part II—"Analysis of 4-bar Linkages in Series," May p.68; Part III—"Characteristics of a Point on Connecting Link," June p.81; Part IV—"Balancing of Linkages," July p.72
- Tyson, L. D.—"Standard Parts Provide Economical Drive" (symposium), April p.37-S
- Van der Horst, H.—"Bearing Life Increased by New Finish," Aug. p.52
- Vose, Edwin W.—"New Hair Dryer Is Silent Salesman," Jan. p.42
- Wahl, A. M.—
"Calculating Springs for Static Loading," June p.66
"Designing Constant-Load Disk Springs," Oct. p.59
"Designing Open-Coiled Helical Springs," Feb. p.62
- White, Fred L.—"Pneumatics Provides Finger-Tip Control," Feb. p.50
- White, Roger B.—"How and Where To Use Welded Fabrication," April p.45
- Wilson, M. M.—"Infrared Baking Meets Modern Need for Speed," Feb. p.58
- Woodling, George V.—"Consideration of Public Helps Obtain Patents," March p.44
- Yogerst, W. M.—"Small Reversing Motors" (series), Feb. p.53
- Zaiser, J. D.—"Aluminum Bronze Fills Design Need," July p.49

B

Bearings:

See Parts

Belting:

See Parts

Biographical Sketches:

- Altman, Peter, April p.52
- Ardussi, Wallace F., Dec. p.108
- Bail, Charles F., Nov. p.102
- Baster, Forest S., Dec. p.108
- Bohuslav, Hans, May p.94
- Buckley, Oliver E., March p.63
- Chayne, Charles A., March p.63
- Colvin, Charles H., Oct. p.96
- Curtis, Frank W., July p.102
- Ebel, W. K., Aug. p.106
- Ennis, Joseph B., Feb. p.76
- Griffiths, W. E., Dec. p.110
- Harrison, C. E., Jan. p.64
- Hermann, C. C., Feb. p.76
- Hibbard, Hall L., Nov. p.108
- Hill, Lee H., Sept. p.104
- Jahnke, Charles B., March p.63
- Little Jr., Thomas J., Nov. p.102
- Marthens, R. S., June p.114
- Orton, R. E., June p.114
- Parker, James Wentworth, Aug. p.106
- Powel, C. A., Sept. p.102
- Reynolds, Lynn, April p.52
- Richards, Dwight, July p.100
- Sealey, W. C., Oct. p.96
- Schmitter, Walter P., July p.100
- Sharp, J. C., Sept. p.102
- Simpson, Herbert S., April p.52
- Smith, J. F. Downie, Jan. p.64
- Taylor, Phillip, Feb. p.76
- Tichenor, Col. Carl M., May p.94
- Williams, A. H., Jan. p.64

Books:

Steel Castings Handbook, published by Steel Founders Society of America, Jan. p.76

*Denotes short articles or announcements of less than one page.

- Welding Metallurgy*, by O. H. Henry and G. E. Claussen, Jan. p.76
- Working Stresses*, by Joseph Marin, Feb. p.97
- Mastering Momentum*, by Lewis K. Silcox, Feb. p.97
- Autobiography of an Engineer*, by William LeRoy Emmet, Feb. p.94
- Flash!*, by Harold E. Edgerton and James R. Killian, Feb. p.94
- Practical Solution of Torsional Vibration Problems*, by W. Ker Wilson, March p.78
- World Directory of Electric Current Characteristics*, by E. S. Moore, March p.80
- Metallurgy of Deep Drawing and Pressing*, by J. Dudley Devons, March p.80
- Analytical Mechanics for Engineers*, by Fred B. Seely and Newton E. Ensign, March p.78
- Trade-Names Index*, by Special Libraries Association, June p.83
- Writing the Technical Report*, by J. R. Nelson, June p.83
- Mechanisms*, by Stanton E. Winston, June p.83
- Engineer's Manual of Statistical Methods*, by Leslie E. Simon, June p.83
- Design of Machine Elements*, by Virgin Moring Faires, July p.72
- Matrix and Tensor Algebra*, by Clarence R. Rose, July p.72
- Plastics in Industry*, by Chemical Publishing Co., July p.72
- Who's Who in Engineering*, July p.72
- Prevention of the Failure of Metals Under Repeated Stress*, by staff of Battelle Memorial Institute, Sept. p.82
- Electromagnetic Devices*, by Herbert C. Rotors, Sept. p.82
- Mathematics for Engineers*, by Raymond W. Dull, Sept. p.82
- Patent Fundamentals*, by Leon H. Amdur, Sept. p.82
- Fluid Mechanics*, by Glen N. Cox and F. J. Germano, Oct. p.74
- Photoelasticity*, by Max M. Frocht, Oct. p.74
- Introduction to the Kinetic Theory of Gases*, by Sir James Jeans, Oct. p.74
- Descriptive Geometry*, by Henry W. Miller, Oct. p.74
- Practical Solution of Torsional Vibration Problems*, by W. Ker Wilson, Dec. p.86
- Mechanical Engineers' Handbook*, by Lionel S. Marks, Dec. p.86
- Air and Gas Compression*, by T. P. Gill, Dec. p.88
- Elementary Aerodynamics*, by D. C. M. Hume, Dec. p.88
- Elementary Mathematics for Engineers*, by Sir Ambrose Fleming, Dec. p.88
- Elementary Fluid Mechanics*, by John K. Vennard, Dec. p.86

C

Calculations:

- Elasticity, theory of, applied in practical design, Part I—"Location and Change in Position of a Strained Point," Feb. p.43; Part II—"Stress in Beams," March p.36; Part III—"Application of Saint-Venant's Principles to Stresses in Beams," April p.36; Part IV—"Cylindrical Forces Shrink Fits, etc.," May p.55; Part V—"Curved Beams," June p.72; Part VI—"Concentrated Loads," July p.59; Part VII—"Loads on Rollers and Wedges," Aug. p.67; Part VIII—"Contact Loading on Balls and Rollers," Sept. p.52; Part IX—"Contact Loading," Oct. p.61; Part X—"Rotating Disks," Nov. p.68; Part XI—"Theories of Failure," Dec. p.58
- Fatigue testing, value of, in supplementing stress calculations, Dec. p.72
- Filter open-area calculations, comments on,* March p.61
- Flywheel effect, WR^2 , determination of (data sheets), Nov. p.75
- Gear ratios, approximating of, by continued fractions, Dec. p.33
- Gears, planetary, design of (data sheets), Aug. p.77
- Link, connecting, characteristics of a point on (data sheet), June p.81
- Linkages, 4-bar:
balancing of, July p.73
analysis of, in series, May p.68
analysis of, single, May p.67
mathematical solution of, May p.65
- Shafting for static or fatigue loads, Aug. p.55
- Springs:
constant-load disk, designing of, Oct. p.59
for static loading, June p.66
helical, graphical calculation of (data sheets), Sept. p.77

Stresses, contact loading on balls and rollers, Sept. p.52
 U-shaped sections, quick reference for minimum radius of bend,* Feb. p.73
 Yokes, how to avoid excessive deflection in, Sept. p.64

Castings:

See Parts; also Materials (Metallic)

Chains:

See Parts

Clutches:

See Parts

Color:

See Finishes; also Styling

Controllers:

See Parts

Controls (electrical):

See Parts

Couplings:

See Parts

D

Data Sheets:

Flywheel effect, WR^2 , determination of, Nov. p.75
 Gear ratios, approximating of, by continued fractions, Dec. p.83
 Gears, planetary, design of, Aug. p.77
 Graphical calculation of helical springs, Sept. p.77
 Link, connecting, characteristics of a point on, June p.81
 Linkages, 4-bar:
 balancing of, July p.73
 comment on,* July p.71
 analysis of, in series, May p.68
 analysis of, single, May p.67
 mathematical solution of, May p.65
 Springs, helical, graphical calculation of, Sept. p.77

Design Dept.:

Blueprinting machine:
 continuous,* Jan. p.92
 Chronoscope measures split seconds,* March p.35
 Cloth, tracing:
 highly transparent,* Nov. p.94
 for pencil,* Nov. p.96
 Drawing boards and tables discussed, May p.47
 Drafting machine:
 "hairline" accuracy of,* Aug. p.102
 lightweight, announced,* Feb. p.118
 Developing machine, high-speed, in conjunction with printer, announced,* April p.75
 Drawing machines, portable, featuring scales, announced,* April p.72
 Drawings:
 printed on aluminum sensitized metal,* Feb. p.116
 transferred on sensitized metal,* Feb. p.40
 Eraser, electric, announced,* Feb. p.117
 Lights:
 fluorescent, for engineering department,* Feb. p.117
 socket rotates in lamp,* March p.100
 Photocopying equipment, announced,* Nov. p.96
 Paper, sensitized, blue-line, for white print dry developer,* June p.102
 Pencil, hard, six graded degrees,* June p.102
 Printing machine:
 compact, announced,* March p.98
 high speed, announced,* Oct. p.94
 Sheets, steel, photographic, for drawings,* Aug. p.51
 Specifying materiel for, Part I—"Supplies," April p.31; Part II—"Drawing Boards and Tables," May p.47; Part III—"Special Equipment," June p.55; Part IV—"Reproduction Equipment," July p.54
 Standardization of propeller parts reduces rejection,* May p.28

*Denotes short articles or announcements of less than one page.

Supplies for, discussed, April p.31
 Tables, drafting, quickly adjustable,* Aug. p.102
 Tackers, one-hand, improved,* June p.102
 Test stand, for motor speeds,* Feb. p.118
 T-square has transparent blades,* Aug. p.104

Design Problems:

Color, effect of, in design of machines,* Nov. p.48
 Contour machining, electro-hydraulic device for, Dec. p.70
 Dynamic balancing of rotating masses such as rotor,* Oct. p.72
 Electrification of machine tools, comments on,* May p.63
 Fatigue data, advantages accruing from use of, Dec. p.72
 High frequency alternating current on aircraft,* June p.79
 Hydraulic torque control, designing circuits for, Sept. p.59
 Light, transmission of, varied by polarizing,* Nov. p.118
 Loom needles, effect of motion on, June p.54
 Material restrictions challenge ingenuity of designers, Aug. p.61
 Motion, intermittent, provided by movement of worm,* July p.110
 Motors, frequent starting and reversing, June p.62
 Aluminum bronze nonmagnetic for airplanes,* Dec. p.85
 Prefabricated method of construction in beverage cooler,* Aug. p.86
 Press, plastic molding, fully automatic, June p.45
 Pressure vessels, how to specify materials for, Aug. p.45
 Processing machine, combating problems in design of, Oct. p.66
 Rings, concentric, mechanically actuated to produce various length of stroke,* Nov. p.47
 Stroboscope, use of, for design data, June p.51
 Unit assemblies, design of dough divider, July p.57
 Vibration:
 absorbed by felt in shearing press,* Dec. p.85
 absorption, by coil springs, in washer,* June p.50
 absorption of, in spring bars in frame,* Nov. p.47
 air conditioner, by improved mountings,* Sept. p.51
 control, bus engine cushioned,* July p.48
 damping system, patented,* July p.110
 transmission to flywheel prevented by web,* Sept. p.116
 Woodworking molder, high speed problems in design of, Sept. p.56

Die Castings:

See Parts; also Materials (Metallic)

Drives:

See Parts

E

Editorials:

"Aid to Engineering Departments," Aug. p.76
 "Cancellation of Expositions and Meetings Would Be Backward Step," May p.62
 "Designers' Efforts Should Serve Country as Well as Company," Oct. p.69
 "Designers' Greatest Responsibility Is Still To Come," July p.70
 "Large Plants Having Their Day—What of the Smaller?" Dec. p.82
 "Let's Plan Now To Overcome Shortage of Engineers!" March p.60
 "Never Has Need for Invention Been More Acute!" Nov. p.74
 "New Designs Should Be Restricted to Most Pressing Needs," June p.78
 "New Machines Are Only Answer to Call for Production," April p.49
 "Now Is the Time To Give Designers the Tools They Need!" Jan. p.60
 "Twelfth Anniversary of MACHINE DESIGN," Sept. p.76
 "Work of Designers, Formerly Disparaged, Now Is Being Extolled," Feb. p.72

Electronic Devices:

See Parts

Engines:

See Parts; also Machinery

Engineering Department Equipment:

See Design Department

F

Fastenings:

See Parts

Filters:

See Parts

Finishes:

Baking:

- induction heating, auto bodies,* Feb. p.49
- Infrared rays, for speed, Feb. p.58
- Chrome plating, increases bearing life, Aug. p.52
- Color, effect of in machines,* Nov. p.48
- Colors for identification for shells and bombs,* March p.26
- Corronizing, electrolytic method of plating,* April p.28
- Enamel, porcelain:
 - frits offered,* Sept. p.94
 - porcelain, Part I—"Fundamental Properties," Oct. p.56; Part II—"Sheet Metal Parts," Nov. p.62; Part III—"Cast Iron Parts," Dec. p.77
 - synthetic, air-drying,* Jan. p.90
 - synthetic, for castings,* Aug. p.94
- Infrared rays, heating bearing cones,* April p.28

Paint:

- Koroplate, a grade of Koroseal paint, announced, March p.90
- substitute for aluminum paint, introduced,* Oct. p.88
- Plastic coating for metals, protective,* June p.98

Plating:

- electrolytic, Corronizing method,* April p.28
- copper, replacing nickel in platings,* Oct. p.82
- Producers of, a list of, Oct. p.27-D
- Rustproof, black on copper, by anodic oxidation,* Sept. p.94
- Rustproofing:
 - iron phosphate surface for finish coats,* April p.28
 - welds for galvanized or other metal parts,* Oct. p.46
- Surface, factors influencing power loss in bearings, Jan. p.54
- Synthetic, corrosion-resistant, Roxaprene,* Aug. p.42
- Tectyl, protective oil coating for metal,* Feb. p.40
- Tin, for copper and brass surfaces,* Dec. p.106
- Varnishes:
 - glass cloth, impregnated with,* March p.98
 - Harvel 612-C insulating, announced,* March p.96

Forgings:

See Parts; also Materials (Metallic)

G

Gears:

See Parts

H

Hose:

See Parts

Housings:

See Parts

Hydraulics:

See Parts

I

Instruments:

Analyzer and meter, for measuring,* July p.98

*Denotes short articles or announcements of less than one page.

- Cathode ray tube, flight tray, complete information,* Jan. p.30
- Chronoscope measures split seconds,* March p.35
- Comparator, pneumatic, air nozzles in,* Dec. p.56
- Electrical equipment, bimetal contact,* May p.37
- Gage, thickness, area determined by magnetic material,* April p.35
- Meter, eddy-current, detects flaws in nonmagnetic materials, May p.36
- Photocell comparator measures areas,* May p.37
- Recorder, has magnetized steel tape,* July p.46
- Stroboscopes used for study of mechanisms,* Aug. p.82
- Tachometer maintains calibration,* Aug. p.51
- Vibration tester, air operated,* March p.62

Inventions:

See Patents

L

Lubrication and Lubricating Equipment:

See Parts

M

Machinery:

- Adding, plastic housing of, illustrated,* Oct. p.70
- Air conditioner, illustrated,* June p.76
- Airplane:
 - bomber, illustrated,* Feb. p.71
 - dive bombers, illustrated,* Nov. p.73
 - short-range, illustrated,* July p.68
 - twin-engined, double-fuselage,* Dec. p.80
- Antiaircraft gun, 90-millimeter, illustrated,* Nov. p.73
- Armament, metals industries are girt for war, Dec. p.69
- Automobiles, power-operated windows,* June p.49
- Automobiles, 1942, material substitutions in, Nov. p.50
- Battery servicer, illustrated,* Jan. p.59
- Beverage cooler, prefabricated by Lindsay structure,* Aug. p.86
- Beverage dispenser, automatic, illustrated,* July p.69
- Blitz buggy, described and illustrated,* Nov. p.73
- Blueprinting, continuous,* Jan. p.92
- Bombers, dive, for combat service, illustrated,* Nov. p.73
- Boring, post, woodworking, illustrated,* Oct. p.71
- Bottling, carbonated beverages, corrosion resistant,* Nov. p.72
- Broacher, gear, shown in spread,* Jan. p.59
- Broaching machine, 3-20 ton capacity, illustrated,* May p.61
- Brushing, for textile field, illustrated,* Oct. p.71
- Bus, engine cushioned for vibration control,* July p.48
- Bus, steering and suspension mechanism,* May p.35
- Business, sensing pencil markings instead of punched cards,* May p.28
- Buttonhole, high-speed, illustrated,* Dec. p.81
- Calculating, speed-producing features of, May p.43
- Camera, machine gun, described, May p.46
- Can seaming machine, illustrated,* Aug. p.74
- Cars:
 - army scout, track-type drive,* Nov. p.58
 - fabricating steel flanges for,* Oct. p.54
 - 1942, material substitutions in, Nov. p.50
- Cement kiln drive improved by gearmotor,* April p.50
- Cigarette vendor, illustrated,* April p.48-S
- Circulator, air, styling of,* June p.76
- Clock, synchronous, self-starting,* Dec. p.80
- Coal mining, synchronization of drives, April p.70-S
- Comparascope, diffused light for checking colors,* Sept. p.75
- Comparator, pneumatic, air nozzle points in,* Dec. p.56
- Corn cutter, rotary cutting head, illustrated,* July p.68
- Corn harvester, ease of accessibility in,* Dec. p.80
- Crane parts designed for welded construction, July p.52
- Cutter relieving machine, illustrated,* Aug. p.74
- Dictating machine, illustrated,* March p.59
- Dispenser, beverage, automatic, illustrated,* July p.69
- Disposall, noise and vibration isolated by neoprene gaskets,* Nov. p.72
- Divider, dough, illustrated,* March p.58

Drafting, "hairline" accuracy of, Aug. p.102
 Drill, 25-inch swing, illustrated,* June p.76
 Drilling and tapping, illustrated,* July p.68
 Drilling, multiple, built-in motors air control,* Sept. p.80
 Dry cleaning unit, automatic, illustrated,* April p.49-S
 Dryer, hair, design and styling co-ordinated, Jan. p.42
 Duplicator:
 electro-hydraulic, for contour machining, Dec. p.70
 illustrated and described,* May p.61
 speed change by moving base of motor, illustrated,* April p.49-S
 Embossing, strip heaters used for high temperatures,* Aug. p.84
 Engine:
 diesel, 8-cylinder, illustrated,* Aug. p.75
 gasoline, heavy-duty, air-cooled,* Dec. p.94
 intake manifold uses engine heat,* May p.28
 portable, two-cycle, aircooled,* Aug. p.100
 radial piston motion uniform,* June p.105
 radial, rubber mountings isolate vibrations,* Dec. p.57
 Extinguisher, fire, compact design of,* Dec. p.56
 Extruding machine, cast steel takes load, March p.55
 Fire extinguisher, compact design of,* Dec. p.56
 Flour blender, cabinet,* Jan. p.58
 Folding, product sizes require speed control, April p.72-S
 Food machinery, bottling, high corrosion resistance,* Nov. p.72
 Freezer, ice cream, automatic, illustrated,* Aug. p.74
 Furnace, air-conditioning, oil-fired,* Dec. p.81
 Gasoline pump, illustrated,* Jan. p.59
 Gear generator, variable speed provided,* April p.50
 Gear hobbing machine, worm, illustrated,* March p.59
 Gear shaper, lightweight, illustrated,* Dec. p.80
 Gear tooth rougher, bevel, illustrated,* Aug. p.75
 Generator, turbine, for power plant equipment,* Oct. p.71
 Grader, motor, illustrated,* March p.59
 Grinders:
 face, hydraulic table drive, illustrated,* July p.69
 horizontal disk, illustrated,* Aug. p.75
 internal thread, hydraulic,* Dec. p.81
 jig, ingenious mechanism typifies design of, Sept. p.45
 precision thread, illustrated,* Nov. p.73
 tool, illustrated,* June p.76
 vacuum tube amplifier and loud speaker in,* Sept. p.80
 Gun, antiaircraft, 90-millimeter, illustrated,* Nov. p.73
 Harvester, corn, ease of accessibility in,* Dec. p.80
 Heat treating machine, illustrated,* March p.59
 Heater, air, illustrated,* July p.69
 Heater with low operating temperature,* Jan. p.58
 Homogenizer, for dairies, illustrated,* Feb. p.71
 Homogenizer, no lubricant for pistons,* Sept. p.74
 Honing:
 controls simplified, illustrated,* April p.48-S
 fabricated and welded, illustrated,* Oct. p.70
 meets designer's need for mass production,* Nov. p.66
 Ice machine, gravity feed utilized,* May p.36
 Induction hardening, sequence control of,* June p.49
 Infestation destroyer, special-purpose motor,* July p.68
 Ironer, commercial, fluid heating, illustrated,* Nov. p.73
 Juice extractor, pressure, illustrated,* May p.61
 Labeler, chain-like, positive feed,* July p.46
 Lapping, eight movements, illustrated,* March p.58
 Lathes:
 roller chain feed in,* Dec. p.56
 shell, triple-gear, illustrated,* Sept. p.74
 toolmakers', illustrated,* Oct. p.70
 Leveler, printing block, illustrated,* Feb. p.70
 Leveler, sheet, improved by short-length back-up rolls, Jan. p.45
 Machine gun camera described, May p.46
 Marking machine, illustrated,* April p.48-S
 Meter, water, housing of Plexiglas,* Sept. p.80
 Micrometer, rubber, electronic circuit,* Sept. p.75
 Microscope, electron, uses magnetic lenses,* March, p.33
 Milling:
 adjustable head, illustrated,* Dec. p.81
 change-o-matic mechanism,* illustrated, April p.48-S
 hydraulically-controlled, illustrated,* Nov. p.73
 profile, three separate drives, April p.28-S
 Mixer, counter, vibration absorbed by rubber,* June p.77

*Denotes short articles or announcements of less than one page.

Molder, woodworking, compact spindle design of, Sept. p.56
 Mower, idler effects simple clutch (symposium), April p.68-S
 Nibbler, electric, portable, illustrated,* Aug. p.74
 Office, proportional spacing used,* Nov. p.49
 Opener for cans, electric, illustrated,* Feb. p.71
 Optical orphthalmograph, illustrated,* Feb. p.71
 Oven, grill hearth, traveling, illustrated,* May p.60
 Peeler, with drip-proof switch,* Jan. p.58
 Pencil sharpener, electric, illustrated,* May p.61
 Photographic unit, automatic control, illustrated,* April p.49-S
 Plane, door-type, illustrated,* Feb. p.70
 Power plant equipment, turbine generator, illustrated,* Oct. p.71
 Presses:
 bending, tapering adjustment on ram,* Nov. p.49
 hydraulic, built-in filters,* April p.51
 molding, hydraulic, illustrated,* May p.60
 plastic molding, meets current conditions, June p.45
 shell-marking, illustrated,* March p.59
 two in one, by providing differential working pressures, April p.35-S
 Pressing, laundry, pneumatically controlled,* Sept. p.75
 Pressure vessels, specifying materials for, Aug. p.45
 Printing, high-speed, announced,* Oct. p.94
 Processing, combatting problems in design of, Oct. p.66
 Proofer and rounder bakery machine, styling of, April p.41
 Pump, hydraulic vane type, illustrated,* Feb. p.70
 Quenching, centrifugal,* Jan. p.58
 Radio, superheterodyne, illustrated,* June p.76
 Record player, plays both sides of record,* Sept. p.49
 Refacer, valve, illustrated,* Feb. p.70
 Refrigerator, refrigerant circulated by air,* Aug. p.50
 Riveter, air hose in, provides flexibility,* Aug. p.50
 Road construction, illustrated,* June p.76
 Sandblaster, dual drive applied,* June p.80
 Saws:
 band, welded steel frame, illustrated,* March p.58
 circular, radial arm provides versatility,* Oct. p.54
 hydraulic, cold, illustrated,* May p.61
 Scale, computing, stainless steel, illustrated,* May p.60
 Screw, adjustable platform, illustrated,* July p.69
 Shaper, gear, lightweight, illustrated,* Dec. p.80
 Shell lathe, design unfettered by "standard practice," March p.29
 Shovel, power, pneumatic finger-tip control, Feb. p.50
 Splicer, for photography, design of,* Nov. p.120
 Splicer, veneer, illustrated,* Sept. p.75
 Soap dispenser, electrical, illustrated,* April p.48-S
 Tanks, light, designed "to take it," June p.71
 Tension unwinder, illustrated,* Oct. p.71
 Textile brushing, illustrated,* Oct. p.71
 Textile, constant tension required in drive, April p.74-S
 Threading:
 spindle-mounted, illustrated,* Sept. p.74
 use of welded fabrication, April p.44
 Toaster, automatic temperature-controlled,* Sept. p.74
 Tractor:
 hydraulic booster offers finger-tip control,* Aug. p.49
 hydraulic, foot-pedal operated, illustrated,* April p.49-S
 Tractor:
 interlocking circuits and control of,* Sept. p.51
 track-type, pivot axle carries load,* Aug. p.84
 Transformer, Fiberglass insulation of,* Aug. p.86
 Trucks, army scout, track-type,* Nov. p.58
 Tubing machine for fabricating sections,* Jan. p.37
 Tumbler, laundry, commercial, illustrated,* June p.77
 Typewriter:
 all-electric, proportional, illustrated,* March p.58
 electric, pneumatic, shown,* Jan. p.59
 platen improved by plastic,* June p.80
 proportional spacing of,* Nov. p.49
 signals at end of line and also paper,* July p.47
 Unwinder, tension, illustrated,* Oct. p.71
 Viscolizer, for dairy, illustrated,* Sept. p.75
 Washer:
 automatic, domestic, illustrated,* Feb. p.70
 domestic, vibration absorbed,* June p.50
 laundry, mechanization of production, April p.41-S
 Welder:
 arc, for aircraft applications,* Nov. p.72
 arc, for continuous operation,* Dec. p.81

small size of large capacity, illustrated,* Oct. p.70
spot welds controlled by hydraulic valves, April p.35-S
Woodworking:
compact spindle design of molder, Sept. p.56
post boring, illustrated,* Oct. p.71
Wrapping, continuous operation of,* Aug. p.50

Materials (Metallic):

Aluminum:

brazing, for weight reduction,* March p.104
bronze, for windshield wiper in airplanes,* Dec. p.85
bronze machine applications, July p.49
nickel-iron "alloys" made from powder metals,* April p.28
sensitized for transferring drawings,* Feb. p.40
Automobile design of 1942, problem of, in, Nov. p.50

Beryllium:

Switch lever, with copper, reduces inertia,* Jan. p.62

Bronze:

aluminum, machine applications, July p.49
lead dispersed in,* Jan. p.86
on-steel, pre-cast, for bearings,* Sept. p.96
sleeve, broached, eliminates keys, Feb. p.74
valve stems, resist wear,* March p.84

Carbides, cemented, inserts of, lower cost increases value, Jan. p.43

Castings:

die, sizes, types and facilities of producers of, Oct. p.82-D
malleable iron, high-strength,* July p.94
Copper, switch lever, with beryllium, reduces inertia,* Jan. p.62
Die castings, sizes, types and facilities of producers of, Oct. p.82-D

Ferrous, nonferrous metals and alloys:

directory of, Oct. p.29-D
listing by principal constituents, Oct. p.48-D
producers of, Oct. p.60-D

Flaws detected by eddy-current meter in nonmagnetic materials, May p.36

Forgings, sizes, types and facilities of producers of, Oct. p.76

Iron, malleable, high-strength, offered,* July p.94

Iron, steel and nonferrous metals and alloys, directory of, Oct. p.29-D

Magnetic material utilized in thickness gage,* April p.35

Manganese, spiegeleisen used as substitute of ferromanganese, April p.28

Molybdenum steels, high physicals, workability, Jan. p.50

Nickel alloy:

KR, machines easily,* Feb. p.114
nickel, monel casting permits rolling,* Feb. p.74
Porous metal for filtration, announced,* Sept. p.84

Powder metals:

aluminum-nickel-iron "alloys" made from,* April p.28
designing parts of, April p.42
sintered, in gears of pump,* Aug. p.86

Prefinished bonded metals, in coil and sheet crimp,* June p.94

Restrictions of, challenge designers, Aug. p.61

SAE steels, new revised classifications, listing of, Oct. p.52-D

Sensitized metal, for nameplates, dials, etc.,* Sept. p.100

Stampings:

deep drawing may answer production problem, Dec. p.64
sizes, types and facilities of producers of, Oct. p.68-D
used to conserve strategic materials, Nov. p.43

Steel:

cast alloy steel takes load in extruding machine, March p.55
gears in stock,* Jan. p.84
molybdenum, high physicals, workability, Jan. p.50
Neoprene combined with, for mountings,* March p.82
sheets, photographic, for nameplates,* Aug. p.51

Tubing:

varnished inside and out,* March p.90
varnish-saturated, insulating,* Aug. p.100
welded, in aircraft construction,* Sept. p.50
Vanadium, influences design materials, Oct. p.50

Materials (Nonmetallic):

Cloth, abrasives, fibers stand on end,* May p.28
Fabric, molded, bearings for crane track wheel,* Dec. p.102

Fiberglas:

insulation, in transformer,* Aug. p.86
woven for covering small plane wings,* Feb. p.40

Felt:

isolates and absorbs vibration in press,* Dec. p.85
tradenamed, in directory, Oct. p.53-D

Glass:

cloth impregnated with varnish,* March p.98
Fiberglas insulation in transformer,* Aug. p.86
Fiberglas woven for covering small plane wings,* Feb. p.40
laminated sheet, and cellulose acetate for non-fogging eye-pieces for goggles, Nov. p.40
pump, centrifugal, made smaller,* April p.60
safety, Flexseal,* March p.26

Plastic:

agitators, resist corrosive attack,* Feb. p.74
coating, protective, for metals,* June p.98
compound contains graphite,* Jan. p.80
conserve metals for defense, May p.31
custom molders of, list, Oct. p.84-D
disks solve conveyor problem in felting machine,* April p.34
Durez 775 (black), announced,* May p.90
electrical conductor molded, for truck,* June p.50
extruded, available in all types,* May p.86
extruded continuously,* March p.96
extruded, line expanded,* May p.82
extruded, replace aluminum for moldings,* June p.92
fan blades of laminated phenolics for cooling towers,* Oct. p.46

molding press for current conditions, June p.45

packings, low, pressure,* July p.82

Plexiglas, in housing of water meter,* Sept. p.80

plywood in airplanes, for door,* Feb. p.49

plywood, resin-bonded, in seaplane floats,* Nov. p.40

plywood, substitute for metal,* Nov. p.92

plywood, use of, in machines, Dec. p.53

typewriter platen improved by,* June p.80

Plastics and other nonmetallics, directory of, Oct. p.53-D

Plastics and other nonmetallics, producers of, Oct. p.27-D

Plywoods:

in planes, for bomb bay doors,* Feb. p.49

in seaplane floats,* Nov. p.40

substitute for metal,* Nov. p.92

use in machines, Dec. p.53

Porcelain enamel, Part I—"Fundamental Properties," Oct. p.56; Part II—"Sheet Metal Parts," Nov. p.62; Part III—"Cast-iron Parts," Dec. p.77

Rubber:

bearings, mounted on, announced,* Sept. p.98
isolators, for low loads,* Nov. p.90
mountings in radial engine isolate vibrations,* Dec. p.57
Neoprene, steel combined with, for mountings,* March p.82
resists corrosion in nickel plating,* March p.62
rolls for sorting and grading mechanism,* Jan. p.37
synthetic, factories to be built,* Jan. p.30
vibration insulators, rubber and metal mountings,* Sept. p.96

Tubing:

varnish-saturated, for insulating,* Aug. p.100
wire, metal-shielded,* Dec. p.106

Motors:

See Parts

Mechanisms:

Axle, pivot, carries load in tractor,* Aug. p.84
Braking, prevents over-cycling resulting from wear,* June p.112

Cam adjusts speed of follower engine to leading engine,* Dec. p.124

Centrifugal action used in ball mill,* Oct. p.55

Clutch, overrunning, cam plate provides engagement,* May p.70

Clutch, positive, uniform torque output assured,* May p.72

Controlling in sequence, of electric timer,* Aug. p.116

Counting, in tapping machine,* Aug. p.114

Driving, overload protection in power transmission,* July p.47

Feeding:

dual drive in sandblaster,* June p.80

positive, chain-like, on labeler,* July p.46

"shot-gun," in saw mill,* March p.34

Filling safely, devices for batteries,* Feb. p.49

Gravity feed in ice machine,* May p.36

Hydraulic:

circuit, reverses fluid flow of landing gear,* Aug. p.122

*Denotes short articles or announcements of less than one page.

power-operated windows on cars,* June p.49
 variable speed, designing for, July p.41
Linkages, 4-bar:
 comments on,* July p.71
 analysis of, single, May p.67
 analysis of, in series, May p.68
 mathematical solution of, May p.65
 Magnetic, results in elimination of friction in gearing,* Sept. p.114
 Magnetic, steel tape in recorder,* July p.46
Measuring:
 aid in design,* Jan. p.30
 maintained calibration of tachometers,* Aug. p.51
 meter attached to analyzer,* July p.98
 photocell comparator,* May p.37
 Pneumatic, hose in riveter, provides flexibility,* Aug. p.50
 Pneumatic, refrigerator, air circulates refrigerant,* Aug. p.50
 Propeller, adjustable pitch, in oil pressure systems,* Jan. p.38
 Recycling control, automatic,* July p.90
 Sequence control of operations on hardener,* June p.49
 Signalling, in typewriter at end of line and paper,* July p.47
 Sorting and grading, uses rubber rolls,* Jan. p.37
 Sound measurement, aid in design,* Jan. p.30
 Spacing, proportional, of typewriter,* Nov. p.49
 Spring, coil, absorb vibration,* June p.50
 Steering and suspension, pivoting of bus,* May p.35
 Stroboscopes used for study,* Aug. p.82
 Timing, double, performed by relay,* June p.106

P

Parts:

Absorbers, shock, temperature corrected for leakage of hydraulic fluid,* April p.56
 Actuator switches, alternating and direct current,* Nov. p.86
 Agitators, plastic, resist corrosive attack,* Feb. p.74
 Axles, railway car, device permits driving,* Sept. p.120
Bearings:
 antifriction, aircraft, high static load ratings, Aug. p.64
 antifriction, factors influencing, Feb. p.67
 alignment and adjustment of,* Nov. p.48
 babbitted, crackle-finish housing,* May p.74
 bronze-on-steel, pre-cast,* Sept. p.96
 chrome-plating finish increases life of, Aug. p.52
 lubrication, factors influencing,* Jan. p.57
 molded fabric, for crane track wheel,* Dec. p.102
 needle, inner races and permanent end washers,* April p.58
 pillow blocks, seals built in,* Feb. p.108
 porous, bronze, in new shapes and sizes,* Sept. p.86
 power loss in, factors influencing, Jan. p.54
 rubber-backed, in pivot axle in truck,* Aug. p.84
 rubber-mounted, thin inner walls,* Sept. p.98
 seals on pillow blocks, built-in,* Feb. p.108
 self-aligning, miniature precision,* June p.90
 split and solid, improved,* July p.90
Belts:
 cord, meets conveyor needs,* May p.92
 endless, for high-speed precision work,* Sept. p.100
 V-belt, heat resistant,* Oct. p.94
 V-belt, of laminated design, offered,* Sept. p.84
 V-belt ratings for economical drive, April p.45-S
 V-belt, reduction, unit needs no base,* March p.88
 V-belt with cog construction,* Sept. p.90
 Blades, fan, of laminated phenolics for cooling towers,* Oct. p.46
 Booster, hydraulic, offers finger-tip control, Aug. p.49
 Brakes, band prevents over-cycling resulting from wear,* June p.112
Breakers:
 circuit, industrial 230 volt, A-C,* July p.80
 circuit, three-pole,* Jan. p.82
 multi-, industrial, announced,* Oct. p.78
 multi-, industrial for light and power control,* Sept. p.86
 multi-, requires no fuses, announced,* Sept. p.84
Brushes:
 flexible and replaceable, announced,* April p.58
 wheel, power-driven, announced,* April p.64
 Cams, adjustable, give flexibility, April p.35-S
 Capacitor-start, reversible,* Oct. p.78

*Denotes short articles or announcements of less than one page.

Carbide inserts, cemented, lower cost increases value, Jan. p.43
 Castings, die, sizes, types and facilities of producers of, Oct. p.82-D
 Castings, synthetic enamels for finishing,* Aug. p.94
 Changers, speed, magnetic, has low losses, patented,* Feb. p.90
 Chain, roller chain feed, in lathe,* Dec. p.57
 Chain, drive in crawler designed for tough service, April p.36-S
 Charging unit, generator, for aircraft,* Dec. p.100
Circuits:
 designing, control criterion—a check on design, April p.42-S
 designing, control diagrams, construction and use, March p.47
 hydraulic, controlled power, designing of, Nov. p.54
 Clamps, ignitron tubes cooled by,* April p.64
Clutches:
 air draft improves, in forging machine, April p.62-S
 centrifugal, hydraulic, developed,* Oct. p.88
 facings, of asbestos in new,* Oct. p.92
 floating plate, multi-disk, wet or dry plate,* Nov. p.82
 friction, aid synchronization of shafts,* Jan. p.74
 hydraulic, centrifugal, developed,* Oct. p.88
 idler effects, in mower (symposium), April p.68-S
 overload, centrifugally controlled,* March p.72
 overrunning, cam plate provides instantaneous engagement,* May p.70
 overrunning, coupling difficulties overcome,* Oct. p.100
 positive, uniform torque output assured,* May p.72
 toggle, type, over-center, easily installed,* June p.84
 vibration, torsional, absorbed by, in press, April p.50
 Conductor, electrical, plastic molded, for truck,* June p.50
 Connectors, plugs, receptacles announced,* March p.90
Contactors:
 friction reduced in,* Jan. p.78
 solenoid, and starters, magnetic,* July p.92
Controls:
 circuits, design of, May p.52
 mechanical, developed in laundry machine, April p.41-S
 unified in one locker, announced,* March p.86
Controllers:
 cam-operated, mill-duty,* May p.74
 drum, small for cranes and hoists,* Dec. p.90
 pneumatic proportional, announced,* Dec. p.104
 secondary, motor-operated,* July p.94
 sequence control of induction hardener,* June p.49
Converter:
 A-C, portable or stationary use,* July p.98
 torque, eliminates forward speed clutching, patented,* Feb. p.82
 Cord, flexing life doubled,* March p.96
 Counters, coil-winding, high speed,* July p.92
Couplings:
 engine connecting, dampens peak loads,* June p.84
 flexible, for reversing service,* Dec. p.92
 flexible, pinions faced diagonally,* Feb. p.100
 flexible, saves space,* Jan. p.80
 flexible shaft, floating, announced,* June p.87
 floating shaft, for use in paper or steel mill,* Oct. p.92
 fluid, high torque at low speeds provided,* Oct. p.100
 Cowl fastener for sheet metal, self-aligning,* June p.84
 Diaphragm seal, in pressure vessel closures,* Oct. p.54
 Die castings, sizes, types and facilities of producers of, Oct. p.82-D
 Disks, plastic, solve conveyor problem in felting machine,* April p.34
Drives:
See Parts under Hydraulics, Pneumatics, Gears, Transmissions, Belting, Motors, etc.
 adjustable speed drive announced,* April p.70
 constant tension required in reeling machine (symposium), April p.74-S
 electric, hydraulic and mechanical, in milling machine, April p.28-S
 hydraulic, provides differential working pressures in press, April p.35-S
 standard parts provide economical variable speed drive, April p.37-S
 synchronization of, in coal mining machinery (symposium), April p.70-S
Electronics:
 controls speed production, for automatic inspection, April p.54-S

liquid level control, announced,* Dec. p.98
 motor control, stepless,* Dec. p.90

Engine:
 aircooled, portable, two-cycle,* Aug. p.100
 gasoline, air-cooled,* March p.84
 gasoline, heavy-duty,* Dec. p.94
 radial, rubber mountings isolate vibrations,* Dec. p.57

Eyeieces, nonfogging, of laminated sheet glass,* Nov. p.40

Facings of clutch improved,* Oct. p.92

Fastenings:
 cowl, for sheet metal, self-aligning,* June p.84
 flush or countersunk rivets increase plane speed,* March p.26
 nut, self-locking, high strength,* July p.78
 nut, speed, lightweight, for aircraft,* Nov. p.84
 nuts, all-metal, resist vibration,* April p.68
 nuts, anchor, for blind-mounting applications,* Dec. p.90
 pins, shrink-fit, located by device,* March p.35
 rivets, explosive, where backing up is difficult,* May p.35
 screws and washers as machine fastenings, Jan. p.39
 screw heads and fastening systems, Feb. p.60
 slit thread, rigid, announced,* April p.62
 snap rings, design and application of, May p.49

Filter:
 magnetic, for metal particles, for lubrication,* June p.80
 magnetized screen used in,* May p.74
 presses have built-in, improve operation,* April p.51

Fitting, high pressure, flexible,* Nov. p.92

Fitting, safety, for tubing,* June p.98

Flanges, steel, fabricating of, for cars,* Oct. p.54

Forgings, sizes, types and facilities of producers of, Oct. p.76

Fuses, caps give protection, announced,* April p.62

Gaskets, sheeted on calenders, ligno-neoprene,* March p.34

Gears:
 frictionless, by repulsion effect of permanent magnets,* Sept. p.114
 planetary, design of (data sheets), Aug. p.77
 planetary, in drive for agitator,* Sept. p.92
 ratios, approximating of, by continued fractions, Dec. p.83
 sintered powder metal, in pump,* Aug. p.86
 timing, carry impeller load,* Jan. p.62

Gearmotor, cement kiln drive improved by,* April p.50

Generator, charging unit, lightweight, for aircraft,* Dec. p.100

Governors:
 automatically resets itself, patented,* Dec. p.120
 gravity-compensated,* March p.68
 steam, limits compressor operation,* Jan. p.70

Heaters, strip, used in stamping machines,* Aug. p.84

Hose:
 bullet-proof, use in bombers,* Sept. p.50
 pneumatic, in riveter, offers flexibility,* Aug. p.50
 rubber, utilizes balanced principle,* June p.100
 seamless, helical corrugated construction,* Oct. p.90

Housings:
 bearing, crackle-finish, offered,* May p.74
 Plexiglas in, of water meters,* Sept. p.80

Hydraulics:
 booster reduces effort, finger-tip control,* Aug. p.49
 circuits, controlled power, designing of, Nov. p.54
 circuit eliminates expansion effect,* March p.70
 circuit, reverses fluid flow in landing gear,* Aug. p.122
 clutches, centrifugal, developed,* Oct. p.88
 electric and mechanical drive in milling machine, April p.28-S
 electro-, lathe gives sensitive control, Dec. p.70
 how to select drives, April p.31-S
 power-operated windows on Chrysler cars,* June p.49
 press controlled by, patented,* April p.56
 press, two in one, by differential working pressures, April p.35-S
 pump, circulating, at high temperatures,* Nov. p.88
 pump, dual vane, variable delivery,* Dec. p.96
 pumps, gear-type, large size,* July p.88
 pump has hydraulic plunger,* Dec. p.122
 pumps, leakage in radial piston,* Sept. p.112
 temperature corrected for leakage of fluid, patented,* April p.56
 torque control, designing circuits for, Sept. p.59
 valve permits sensitive operation,* Feb. p.48
 valves, rotary, control spot welds, April p.35-S
 variable speed transmission, designing for, July p.41

Idler effects simple clutch, in mower, April p.68-S

Ignitron tubes, control resistance welders,* Feb. p.116

Induction hardened machine parts, June p.58

Infra-red lights, heat for increasing size of motor frames,* Dec. p.85

Interlocking circuits, in tractor,* Sept. p.51

Interrupter, circuit dust-tight, announced,* Aug. p.88

Isolators, rubber, for low loads,* Nov. p.90

Instruments, black light for illuminating aircraft panels,* May p.28
See Instruments

Joint, universal, ball and socket principle, patented,* July p.114

Lenses, magnetic, in electron microscope,* March p.33

Lights:
 built-in, how to design for, March p.40
 fluorescent, built-in, comment on,* May p.63
 infra-red, for increasing size of motor frames,* Dec. p.85
 socket rotates in lamp,* March p.100

Lindsay structure panel cabinets,* Feb. p.114

Link, connecting, characteristics of a point on (data sheet), June p.81

Linkages, 4-bar:
 analysis of, single, May p.67
 analysis of, in series, May p.68
 mathematical solution of, May p.65

Lubricators and Lubrication:
 bearings, factors influencing,* Jan. p.57
 centralized, offer many combinations, Jan. p.47
 filter, magnetic, for metal particles in oil,* June p.80
 high temperature, does work and vanishes,* July p.38
 lubricant for high temperatures,* Dec. p.98
 mechanical, has four pumping units,* Feb. p.98
 metering, automatic, for vacuum pumps,* July p.96
 oilers, visible, unbreakable,* March p.92
 packing, spiral, of cloth and rubber,* Sept. p.100
 progressive system, centralized,* Aug. p.88
 single-pipe, nonreversing system,* May p.92

Lug, solderless, set screw type,* Sept. p.90

Magnets, permanent, frictionless gearing,* Sept. p.114

Manifold, intake, for aircraft engines,* May p.28

Meter:
 analyzer, attached to, for measuring,* July p.98
 water, housing and fittings of Plexiglas,* Sept. p.80
 welding pressure,* Jan. p.82

Moldings, plastics extruded, tubing rods, etc.,* March p.96

Motors:
 adjustable or variable speed (series), Aug. p.71
 aircraft, light, high-power,* March p.92
 aircraft, lightweight, fractional horsepower,* June p.86
 built-in, aid control, in multiple-drilling machine,* Sept. p.80
 built-in, for steel mill tables,* Nov. p.48
 built-in, small, selection of (series), Sept. p.69
 capacitor, high and low torque,* May p.74
 D.C., lightweight, selection of (series), March p.51
 electronic control, stepless,* Dec. p.90
 explosion-proof, announced,* July p.78
 explosion-proof, vertical,* Feb. p.108
 fan-cooled, for dust atmospheres,* June p.100
 fan-cooled, improved, March p.84
 fractional-horsepower, for machine tools,* June p.90
 frequent starting and reversing, June p.62
 horizontal or vertical, for portable or stationary use,* May p.56
 induction, multispeed, selecting of (series), April p.38-S
 induction, sleeve-bearing,* Jan. p.84
 induction, small, ball-bearing equipped,* Feb. p.114
 induction, splashproof, ball-bearing,* July p.94
 mountings and enclosures, Jan. p.33
 polyphase induction, integral horsepower,* Jan. p.78
 reversible, capacitor-start,* Oct. p.78
 reversing and frequent starting, (series), June p.62
 reversing, small, selecting of, Feb. p.53
 selection of special (series), Part I—"Mountings and Enclosures," Jan. p.33; Part II—"Small Reversing Motors," Feb. p.53; Part III—"Lightweight D.C. Motors," March p.51; Part IV—"Multispeed Induction Motors," April p.38-S; Part V—"Torque and High Slip Motors," May p.38; Part VI—"Frequent Starting and Reversing Motors," June p.62; Part VII—"Short Time Rated Motors," July p.64; Part VIII—"Adjustable Speed Motors," Aug. p.71; Part IX—"Small Built-in Motors," Sept. p.69
 self-cleaning, comment on,* March p.61
 short time rated, (series), July p.64
 starters, general purpose, announced,* Nov. p.86
 test stand for motor speeds,* Feb. p.118
 torque and high slip, (Motor series), May p.38

*Denotes short articles or announcements of less than one page.

Mountings:

eight, in engine in bus,* July p.48
enclosures of motors, Jan. p.33
rubber and metal, vibration insulators,* Sept. p.96
rubber, isolate vibrations in radial engine,* Dec. p.57
steel and neoprene combined,* March p.82
strips facilitate use of controls,* Jan. p.88

Nuts:

See Fastenings also

all-metal, resist vibration,* April p.68
anchor, for blind-mounting,* Dec. p.90
self-locking, for high strength applications,* July p.78

Packings:

See Seals also

lubricated, spiral, cloth and rubber,* Sept. p.100
plastic, low pressure,* July p.82
seal handles air, oil to rotating shafts,* April p.58
sheet, two types,* Feb. p.98

Panels, Lindsay structure, cabinet,* Feb. p.114.

Photocell, measures areas, in comparator,* May p.37

Photoelectric control for printing operations,* Aug. p.94

Pillow blocks, babbitted, plain and waterproof,* Nov. p.90

Plates, swash, loading redistributed,* April p.54

Plugs, receptacles, connectors announced,* March p.90

Pneumatics:

control by air is economical, April 50-S
controller with automatic reset,* Dec. p.104
finger-tip control, in power shovel, Feb. p.50
hose in riveter provides flexibility,* Aug. p.50
nozzle points provide accurate, sensitive fingers,* Dec. p.56
pilot control employs principle of player piano,* April p.34
pump, automatic metering lubricator for,* July p.96
pump, creates vacuum or pressure,* May p.82
pump, rotary, V-belt driven,* Dec. p.94
refrigerator, air circulates refrigerant,* Aug. p.50
seal handles air, oil,* April p.58
valve, controls either liquid or gas,* March p.66
valve controls piston travel,* June p.94
valve, scissor-type linkage, announced,* Sept. p.88

Porous metal, for filtration, announced,* Sept. p.84

Powder metal, designing parts of, April p.42

Propeller, adjustable pitch, in oil pressure systems,* Jan. p.38

Propeller parts, standardized, reduce rejection,* May p.28

Pulleys, variable speed, announced,* April p.62

Pumps:

cargo, timing gears carry impeller load,* Jan. p.62
centrifugal, motor-driven,* April p.72
centrifugal, motor-driven, small base,* June p.92
coolant, for low water levels,* July p.82
coolant, centrifugal, for machine tool service,* Dec. p.102
explosion proof motor, midget size,* May p.84
gear, fuel oil, patented,* Feb. p.86
Gerotor type, gears made of sintered powder metal,* Aug. p.36
glass, centrifugal, made smaller,* April p.60
helical rotor, for large capacities,* March p.34
hydraulic, circulating, at high temperatures,* Nov. p.88
hydraulic, dual vane, variable delivery,* Dec. p.96
hydraulic, gear type, large size,* July p.88
hydraulic, leakage in radial piston,* Sept. p.112
hydraulic plunger in, Dec. p.122
midget, positive pressure,* Jan. p. 88
nonpulsating, discharge, announced,* Oct. p.82
nonpulsating, fuel, aircraft,* Jan. p.38
pneumatic, automatic metering lubricator for,* July p.96
pneumatic, creates vacuum or pressure,* May p.82
rotary, air, V-belt driven,* Dec. p.94
rotary, coolant, has helical gears,* July p.78
rubber eliminates slippage in,* Nov. p.122
valves synchronized, in aircraft instruments,* Oct. p.104
water, seal has two parts,* Dec. p.100

Pushbutton, horizontal and vertical mounting,* June p.92

Receptacles, contactors, plugs announced,* March p.90

Rectifiers, current to spot welders,* May p.90

Recycling control, automatic, process industry,* July p.90

Relay:

double-throw, four-pole,* June p.100
electronic, molded plastic cover,* Jan. p.80
heavy-duty, microswitch contacts,* Nov. p.94
lightweight, designed for high loads,* May p.80
single or double-throw, A-C or D-C,* Oct. p.80
small ratchet, for electric circuit,* June p.98

temperature, protection against overloading,* April p.60
three-pole, self-cleaning, announced,* April p.72
time-delay, built-in, for controlling,* Oct. p.90
time delay, mercury, utilizes, porcelain,* June p.106

Resistors, wire-wound, seal-tight, vitreous-enameled,* June p.84

Rheostats, generator field control, announced,* March p.88

Rheostats, minimum heat transferred by,* Feb. p.102

Rivets, explosive, used where backing up is difficult,* May p.35

Screening:

magnetized, used in filter,* May p.74
polarizing, 99.99 per cent efficient, developed, June p.38

Seals:

air, oil to rotating shafts, announced,* April p.58
packing sheet, two types,* Feb. p.98
ring seal of ductile metal eliminates leakage,* Oct. p.102
water pump, has two parts,* Dec. p.100

Shaft, full-floating, in axle drive of train,* Sept. p.120

Shafts, propeller, welded steel tubing used,* May p.37

Shafts, flexible, drill press, multispindle, April p.50

Shear pin, re-usable, in stoker,* Jan. p.38

Shims, laminated, available in large pieces,* Aug. p.96

Sleeve, bronze, broached, eliminates keys, Feb. p.74

Snap ring fastenings, design and application of, May p.49

Solenoids:

automatic for continuous or intermittent duty,* Sept. p.92
contactors and starters, magnetic,* July p.92
oil or coolant service, announced, Oct. p.76
starters and contactors, magnetic,* July p.92
starter with solenoid switch announced,* Aug. p.98
switch solenoid-operated, multiple contact,* Aug. p.100
wrapping machine, continuous, accurate operation,* Aug. p.50

Speed changers, magnetic, have low losses, patented,* Feb. p.90

Springs:

calculating, for static loading, June p.66
coil, absorb vibration in washer,* June p.50
damping vibration in railway trucks,* July p.110
disk, designing constant load, Oct. p.59
helical graphical calculation of, (data sheets), Sept. p.77
helical, open-coiled, designing, Feb. p.62

Stampings:

deep drawing may answer production problem, Dec. p.64
sizes, types and facilities of producers of, Oct. p.68-D
used to conserve strategic materials,* Nov. p.43

Starters:

combination, hand-locking,* July p.78
combination, oil-immersed,* Jan. p.90
d-c combination, mining service,* July p.88
motor, general purpose, announced,* Nov. p.86
motor, semimagnetic, direct-current,* Aug. p.96
solenoid, and contactors, magnetic,* July p.92
solenoid switch equipped, replacing clapper starter,* Aug. p.98

Strips, terminal, compact, announced,* Sept. p.90

Switches:

actuator, alternating and direct current,* Nov. p.86
direct current, has arc suppressor,* Oct. p.80
float, explosion-resisting, watertight,* Oct. p.76
limit, is cam-operated,* Jan. p.86
low, pressure, snap-action,* Sept. p.98
mercury, double-flow, announced,* Nov. p.82
mercury, low voltage,* April p.68
mercury, low-watt circuit, announced,* April p.58
mercury, volume differential similar to thermometer, July p.48
micro, roller arm, widely adjustable,* March p.90
pin plunger type, overtravel,* Dec. p.92
power consumption saved by timer switch,* Oct. p.72
pressure, for water pump, pneumatic systems,* June p.102
range, two-pole, combination,* March p.96
rotary, automatic, heavy-duty,* Dec. p.104
solenoid, in starter, announced,* Aug. p.98
solenoid-operated, multiple contact,* Aug. p.100
splashproof, precision, with many mountings, Aug. p.88
starter and motor disconnect,* April p.70
synchronous motor-driven, program,* Feb. p.116
thermo, is waterproof,* April p.68
time delay, for all temperatures,* May p.86
time, synchronous motor,* May p.80

Switch lever, beryllium copper, reduces inertia,* Jan. p.62

Terminal strips, compact, announced,* Sept. p.90

*Denotes short articles or announcements of less than one page.

Thermostats:

- bimetal, respond quickly,* Feb. p.108
- bimetal strip, crimp improves accuracy,* Sept. p.50
- cartridge type, for electrically-heated machines,* June p.96
- heavy-duty, for loads of 1500 watts,* Feb. p.116

Timers:

- buzzing, added to line,* Sept. p.92
- double reset, rapidly repeating time cycle,* Feb. p.100
- electronic, for spot welding,* Jan. p.90
- sequence control of, patented,* Aug. p.116
- switch, saves power consumption,* Oct. p.72
- Torque control, hydraulic, designing circuits for, Sept. p.59
- Torque converters, eliminate forward speed clutching, patented,* Feb. p.82

Transmissions:

- adjustable speed drive announced,* April p.70
- drive has full floating shaft,* Sept. p.120
- hydraulic, variable speed, designing for, July p.41
- overload protection in, two-speed drive,* July p.47
- planetary gear head, protected from overload, patented,* Feb. 84
- variable speed announced,* Jan. p.88
- variable speed changes provided in gear generator,* April p.51
- variable speed control in boring mill,* Oct. p.72
- variable speed, economy provided by standard parts, April p.37-S
- variable speed, in folding machine (symposium), April p.72-S
- variable speed pulley announced,* April p.62
- variable speed range ratios in adjustable speed drive, April p.35
- variable speed, remote-controlled,* Feb. p.102
- variable speed, 36 provided, on grain drill,* Jan. p.68, March p.61
- variable speed unit, both directions,* June p.88

Tubing:

- fabrication of sections, machine for,* Jan. p.37
- seamless, double-thread, corrugated,* Oct. p.90
- varnish-impregnated, for aircraft engines,* May p.84
- varnished inside and out,* March p.90
- varnish-saturated, for insulating,* Aug. p.100
- welded, in aircraft construction,* Sept. 50
- welded, steel, for propeller shafts,* May p.37
- wire, metal-shielded, lightweight,* Dec. p.106
- Unitrol sectionalized and centralized control,* March p.86

Valves:

- bronze for valve stems,* March p.84
- controls pneumatic piston travel,* June p.94
- cooling more efficient in, patent,* July p.112
- hydraulic, permits sensitive operation,* Feb. p.48
- hydraulic, rotary, control spot welds (symposium), April p.35-S
- motor-operated, for control of corrosive fluids,* June p.96
- pneumatic, control either liquid or gas,* March p.66
- pneumatically operated, announced,* Sept. p.88
- pump, synchronized, in aircraft instruments,* Oct. p.104
- relief, three functions combined,* Jan. p.62
- solenoid, eliminate impact in press, patented,* April p.56
- thermostatic control for steam and water,* March p.82
- Web, flexible, prevents vibration to flywheel,* Sept. p.116

Welding:

- adaptable to design changes (an abstract), Nov. p.59
- crane parts designed for, July p.52
- meter, indicates pressure,* Jan. p.82
- steel tubing for propeller shafts,* May p.37
- tubing in aircraft construction,* Sept. p.50
- Yokes, avoiding excessive deflection in, Sept. p.64

Patents:

- Brakes, band prevents over-cycling,* June p.112
- Cam plate on overrunning clutch provides instantaneous engagement,* May p.70
- Clutch, uniform torque output assured,* May p.72
- Clutches, friction, aid synchronization of shafts,* Jan. p.74
- Counting device in tapping machine,* Aug. p.114
- Couplings, fluid, high torque at low speeds provided,* Oct. p.100
- Engines, radial piston motion uniform,* June p.105
- Flywheel inertia adjustable, in timing devices,* Nov. p.112
- Governor automatically resets itself,* Dec. p.120
- Governor, steam, limits compressor operation, Jan. p.70
- Joint, universal, ball and socket principle to afford velocity of shaft,* July p.114
- Light, transmission of, varied by polarizing,* Nov. p.118

- Loading, swash plate, redistributed, patented,* April p.54
- Motion, intermittent, provided by movement of worm,* July p.110
- Plagiarism, comments on,* March p.61
- Obtaining consideration of public will help, March p.44
- Pump, rubber eliminates slippage in,* Nov. p.122
- Pump valves synchronized in aircraft instruments,* Oct. p.104
- Relay, time delay, mercury, utilizes porcelain material,* June p.106
- Seal ring of ductile metal eliminates leakage,* Oct. p.102
- Splicer, for photography, design of,* Nov. p.120
- Spring dampens vibration in truck,* July p.110
- Timer, electric, sequence control of,* Aug. p.116
- Valve cooling more efficient, patented,* July p.112
- Variable speed, 36 provided, on grain drill,* Jan. p.68
- Wear, tool, means for feeding boring tool radially,* April p.54

Plastics:

See Materials (nonmetallic)

Pneumatic Equipment:

See Parts

Processes:

- Brazing, aluminum, for weight reduction,* March p.104
- Honing, meets designer's need for mass production, Nov. p.66
- Induction hardening, steps up production of parts, June p.58
- Infra-red light heats aluminum motor frames,* Dec. p.85
- Plating, nickel, rubber aids in resisting corrosion,* March p.62
- Prefabricated method of construction in beverage cooler,* Aug. p.86
- Sensitizing metal and plastics, for nameplates, etc.,* Sept. p.100
- Shot-blasting:
 - in fatigue life,* Jan. p.61
 - projector has pulsating magnetic field, patented,* Feb. p.90
 - tests show increased strength,* Feb. p.73
- Welding:
 - adaptable to design changes (an abstract), Nov. p.59
 - aircraft, method for facilitating,* March p.62
 - designing of parts for, July p.52
 - how and where to use, threading machine, April p.45
 - rustproof, for galvanized and other metals,* Oct. p.46
 - spot welder, rectifier supplies current,* May p.90

Pumps:

See Parts

Rubber:

See Materials (Nonmetallic)

Seals and Packings:

See Parts

Solenoids:

See Parts

Springs:

See Parts

Stampings:

See Parts; also Materials (Metallic)

Stresses:

See Calculations

Styling:

- See Machinery also*
- Color, effect of, in machines,* Nov. p.48
- Dryer, hair, combined with mechanical design, Jan. p.42
- Puffer and rounder bakery machine, April p.41

Tubing:

See Parts

Valves:

See Parts

Vibration:

See Design Problems

Welding:

See Parts; also Processes

*Denotes short articles or announcements of less than one page.